

CORPORATE PRESENTATION Q4 2023 | TSX: CCM | OTC: CRCUF

Advancing Western Canada's Highest Grade Gold Project to Feasibility & Permitting

Disclaimer

Certain statements contained herein regarding the Company and its operations constitute "forward-looking statements" within the meaning of the United States Private Securities Litigation Reform Act of 1995. All statements that are not historical facts, including without limitation statements regarding future estimates, plans, objectives, assumptions or expectations of future performance, are "forward-looking statements". We caution you that such "forward looking statements" involve known and unknown risks and uncertainties that could cause actual results and future events to differ materially from those anticipated in such statements. Such risks and uncertainties include fluctuations in precious metal prices, unpredictable results of exploration activities, uncertainties

inherent in the estimation of mineral reserves and resources, fluctuations in the costs of goods and services, problems associated with exploration and mining operations, changes in legal, social or political conditions in the jurisdictions where the Company operates, lack of appropriate funding and other risk factors, as discussed in the Company's filings with Canadian and American Securities regulatory agencies. Resource and production goals and forecasts may be based on data insufficient to support them. Mr. Garry Biles, Canagold President & COO is the Qualified Person for the Company as required by NI43-101. The Company expressly disclaims any obligation to update any forward-looking statements. We seek Safe Harbour.



Why Invest in Canagold?

Excellent Relative Valuation Upside Potential

EV per Global Resource Ounce USD \$30.00 Major Shareholder Support

Strong Financial Backing from Sun Valley Investments (43%)

Committed to Fund Feasibility/ Permitting Advancing New Polaris to Feasibility with Permitting

Feasibility and Permitting in Progress

2021-22: 39,000 m, 82-hole infill New Resource: 1.1 Moz Au at 11.6 gpt

IPD/EA Filed



Company Led by Experienced Management & Board

Geologists, Engineers and Financiers

Catalin Kiloflisky, CEO Mike Doyle, CTO Garry Biles, President Colm Keogh, VP Ops Strong Local Support

Engagement with Taku River Tlinget First Nation (TRTFN)

Hà Khustiyxh/"Our Way" framework for New Polaris Project

Investor Information



TSX	ΟΤϹQΒ	FRA
ССМ	CRCUF	CANA
shares outstanding 157.8 M	WARRANTS 638 K exp. 10/2023	options 900 K
RECENT SHARE PRICE	CURRENT MARKET CAP	DSU /RSU
C\$0.23	C\$36.3 M	1.5 M/1.6 M

Top Shareholders: Sun Valley Investments (43%), Ruffer Gold Fund (5%), and HNW Investors.

Analyst Coverage: Taylor Combaluzier, Red Cloud Securities

Experienced Management



Catalin Kilofliski

CEO



Mike Doyle

M.Sc, M.Eng

Chief Technical Officer

25+ years of leadership and extensive expertise in mining, senior management, capital markets, Former Director, Corporate Development for Tudor Gold Corp.

Geologist and engineer with over 35 years global experience. Mining and exploration with Rio Tinto, Inmet, Wardell-Armstrong and Sun Valley Investments.





Colm Keogh BA Sc.

SVP Operations

Formerly with Deloitte and Ernst & Young. Mining related financial work includes due diligence reviews, audits, and tax recoveries projects for large and medium mining companies.

Professional Mining Engineer for 30+ years. Supporting projects through feasiblity, development, operations to closure. Previous work with Billiton Metals, Inco Gold, Barrick Gold Anglo American, Eldorado Gold, others.







Garry Biles P. Eng.

President & COO

Engineer with 40+ years experience.16 years as General Manager of 4 producing gold mines: Eskay Creek, Seabee, Jolu and Bellavista.



Knox Henderson

VP Corporate Development

Capital markets advisor focused on marketing, investor communications and raising capital for public companies over the past 20 years.

Board of Directors



Director, Chair Sofia Bianchi BA



Director **Dr. Carmen Letton** PhD

13 years of board experience in multiple private and public companies. Former Chair of Corporate Governance, Member of Audit, Technical and Renumeration Committees of Endeavour Mining.

"100 Global Inspirational Women in Mining." P. Eng. with 35 years in the Americas, Australia, Asia, Europe and Africa. Former non-executive director of Endeavour Mining Corp, non-executive director of Gold Fields. Positions with Anglo American, BHP Billiton, Rio Tinto and Newmont.



Director

Mike Doyle M.Sc, M.Eng

Chief Technology Officer



Geologist and engineer with over 35 years global experience. Mining and exploration with Rio Tinto, Inmet, Wardell- Armstrong and Sun Valley Investments.

Colorado School of Mines, Associate Professor and Professor in Mining Former Director of Randgold Resources and held various management roles at Homestake Mining.





Director **Andrew Trow** B. Comm.

Chartered Accountant with 15 years in financial and operational restructurings, fund management in special situations, private equity and debt. Former investment manager at BlueCrest Capital Management (UK) LLP.

Director

Kadri Dagdelen

M.Sc. B.Sc.











NEW POLARIS Advanced High Grade Gold Mine Project



- 1946-51

- 1.9 years
- Engineering
- permitting



Production History - 232,000 oz from 1938-42,

• Current resources 1.1 M oz Au indicated * (see Resource slide 10)

• High Grade - average 11.6 gpt gold

• Robust Economics at \$1,500 gold (May 2020 PEA): After-tax IRR 56%, NPV US\$333M, Payback

Feasibility study advancing with Ausenco

Initial Project Description and Engagement Plan submitted to the B.C. Environmental Office for

NEW POLARIS Location and Access

LOCATION

Northwestern BC, 60 km NE of Juneau, Alaska and 100 km south of Atlin, BC within the Taku River Tlingit First Nation traditional territory – 250 km by road from Atlin to Skagway Port, Alaska

INFRASTRUCTURE

1,500 ft airstrip, barge access to tidewater, 20 person exploration camp with active permit in place

PROPERTY

61 crown grants and 1 claim totaling 2,150 acres (850 hectares), a 760 ft (230 m) deep internal shaft, 2 adits and 11 miles (18 km) of underground mine workings. Active exploration permit from BC gov't.

MINERALIZATION

Mesothermal gold vein system, similar geology and high grade gold mineralization to Red Lake Camp, ON



Atlin Kensington Mine, AK

New Polaris, BC

Juneau, AK

Greens Creek Mine, AK

British Columbia

NEW POLARIS High Grade Gold Resources

New Polaris - Resource	Estimate, effective date:	April 20, 2023 and Com	parison to 2019 PEA
	,		

		2023 Resource		2019 Resource		Difference as a Percent:				
Class	Cutoff	Tonnage (ktonnes)	Au (gpt) Au (k		koz) Tonnage (ktonnes)	Au (gpt)	Au (koz)	(2023-2019)/2019		
	(Au gpt)			Au (koz)				Tonnage	Au Grade	Au Metal
	3	3,118	11.21	1,124	1,798	10.40	601	73%	8%	87%
	4	2,965	11.61	1,107	1,687	10.80	586	76%	8%	89%
	5	2,769	12.11	1,078	1,556	11.30	565	78%	7%	91%
Indicated	6	2,525	12.75	1,035	1,403	12.00	541	80%	6%	91%
Indicated	7	2,270	13.45	981	1,260	12.60	510	80%	7%	92%
	8	2,049	14.09	928	1,105	13.30	473	85%	6%	96%
	9	1,814	14.81	864	947	14.10	429	92%	5%	101%
	10	1,594	15.55	797	1,639	9.50	501	-3%	64%	59%
	3	1,061	8.24	281	1,582	9.80	498	-33%	-16%	-44%
	4	926	8.93	266	1,483	10.20	486	-38%	-12%	-45%
	5	817	9.52	250	1,351	10.70	465	-40%	-11%	-46%
Inforrad	6	706	10.16	231	1,223	11.20	440	-42%	-9%	-48%
Inferred	7	603	10.78	209	942	12.50	379	-36%	-14%	-45%
	8	491	11.52	182	753	13.80	334	-35%	-17%	-46%
	9	371	12.51	149	653	14.60	307	-43%	-14%	-51%
	10	291	13.33	125	0	0.00	0			



• 2021-22 drill program includes some of the highest grade-width reported in the history of the project, and a build out of parallel zones C9, C10



1. Mineral resources are not mineral reserves and do not have demonstrated economic viability. There is no certainty that all or any part of the mineral resources will be converted into mineral reserves. 2. Resources are reported using the 2014 CIM Definition Standards and were estimated using the 2019 CIM Best Practices Guidelines.


- The base case Mineral Resource has been confined by "reasonable prospects of eventual economic extraction" shape using the following assumptions:
 - Metal prices of US\$1,750/oz Au and Forex of 0.75 \$US:\$CDN; •
 - Payable metal of 99% Au; •
 - Offsite costs (refining, transport and insurance) of US\$7/oz; •
 - Mining cost of CDN\$82.78/t, Processing costs of CDN\$105.00/t and G&A and site costs of • CDN\$66.00/t.

Metallurgical Au recovery of 90.5%; NSR (CDN\$/t)=Au*90.5%*US\$74.72g/t; The specific gravity is 2.81 for the entire deposit; Numbers may not add due to rounding.

NEW POLARIS Resource

- 2021-2022: 39,000 m, 82-hole infill program
- Increases Indicated Gold by 89%
- MRE: 2.97 Mt @ 11.6 gpt Au for 1.11 million ounces gold

Select Drill Highlights					
Zone	Width (m)	Grade (Au g/t)			
CWM	25.1	13.6			
CWM	6.6	34.4			
CWM	6.2	44.7			
C10	8.4	17.1			
C9	8.9	11.0			
Y20 Vein	2.78	53.8			
Y Vein	5.64	18.0			
Y19 Vein	4.3	22.1			





NEW POLARIS Grade vs Global Average


- Grade is King: Higher Grades = Richer Ore
- In combination with lowest quartile AISC
- Industry average AISC = \$900 \$1,100/oz
- New Polaris Gold Grades are 7.6 X Higher Than Global Average*
- Average grades are decreasing with time
- High-Grade deposits are becoming even more rare

(*) Source: S&P Global Market Intelligence









NEW POLARIS Permitting

- Officially entered the BC Environmental Permitting process in March 2023
- Community engagement, information sharing, consultation sessions completed in May and June, 2023
- Submitting detailed project description to BC Environmental Assessment Office by September.
- Canagold and the Taku River Tlinget First Nation (TRTFN) have formed a Technical Working Group which meets on a weekly basis to facilitate their input into the design and operating parameters for the project.
- Receipt of the BC Environmental Approval is expected during the second half of 2025.

Historic New Polaris Mine Site – Mined 1930-s to 1950's



Opening Ceremonies at the HAA KUSTEEYÍ Celebration in ÁATLEIN (Atlin) BC

NEW POLARIS Sustainability & Community Engagement

- Canagold establishes office in Atlin in June
- Taku River Tlingit
- on the river
- project and answer questions




• Canagold attended Haa Kusteeyi (Our Way of Life) event in July hosted by

• TRT members of the Technical Working Group brought to site for viewing • Canagold participated in fishing activities on Taku River and talked to people


• Canagold held in-person meetings in Atlin (Fireside Chats) to discuss the

Mesothermal Gold Deposits

CANAGOLD



NEW POLARIS Project Timeline








CANAGOLD RESOURCES LTD. Knox Henderson, VP Corporate Development Suite 1250 - 625 Howe Street Vancouver, BC V6C 2T6 knox@canagoldresources.com +1 604.416.0337 www.canagoldresources.com

....


TSX: CCM OTC: CRCUF

APPENDIX







NEW POLARIS Parallel Zones




CANAGOLD


LEGEND







NEW POLARIS Y-Vein Drilling








Y19-Y20 Drilling

Cross Section 1200






Cross Section 1250

Y19-Y20 Drilling

Cross Section 1300






Cross Section 1350

Cross Section 1400

NEW POLARIS Bio-oxidation

- Bio-oxidation is a hydrometallurgical process for the pre-cyanidation treatment of refractory gold concentrates
- BIOX is the patented process using stirred tank • reactors. The patent and all rights to the process is owned by Metso:Outotec



- Commercially available > 30 years
- 13 plants in seven countries plus one new plant under construction, including:
 - Fosterville (Austrailia), Suzdal (Kazakhstan), Jinfeng (China), Kokpatas (Uzbekistan) Obuasi (Ghana)...
- Total gold production from BIOX ~ 25 million ounces (Oz)
- Versatile technology operating in variable climatic conditions:
 - 3,000 m above sea level
 - Tropical and arid regions
- Operating plant sizes of 20 tpd to 2,000 tpd
- Arsenic fixations can be done in 2-Stage neutralization process producing environmentally compliant residues
- Effective and simple oxidative process for metal liberation requiring low skillset



Key Facts of Bio-oxidation

– Temperature Ranges of operation –40°C in winter to +45°C in summer